

Hot rolled sheets.

Thickness	Width	Length	Weight	Type
2mm	1077	2315	525	s355MC gw
2mm	1250	4000	780	s235jr gw
2mm	1265	3700	2270	s235jr gw
2mm	1250	2500	270	S235JR
2mm	1500	3000	338	S235JR
2,5mm	1350	3060	7500	s355MC traw
2,5mm	2850	1450	912	s235-s355
2,5mm	1500	3000	3100	s235-s355
3mm	1500	3000	1300	S355MC traw.
3mm	1250	2500	280	ryfle
3mm	1500	3000	162	ryfle
3mm	1250	2500	102	ryfle
3,5mm	1300	2750	430	s235-s355
3,5mm	1500	3000	728	s235-s355
3,5mm	1270	2500	7894	s550mc
3,5mm	1300	2500	754	S235JR traw
3,8mm	1133	2290	700	s235jr gw
3,8mm	1500	6000	25000	S235 3.1
4mm	1500	3000	1560	S235
4mm	1500	3000	1322	ryfle
4mm	1000	1500	2496	ryfle
4,5mm	1300	2050	910	DD11 traw
4,5mm	1300	2500	970	s235-s355

str. 1 z 5

JS STAL , Rynek 19/2, 83-200 Starogard Gdański; NIP: 5922086521, REGON: 221170194

tel. +48 501 389 648, email: biuro@jsstal.pl

PLN 78 2340 0009 6690 2400 0000 0379, EUR PL59 1750 0012 0000 0000 2239 7408, Swift RCBWPLPW

4-4,5mm	1250	2500	2420	ryfle
5mm	1500	3000	1250	s235-s355
5mm	2000	3000	480	s235-s355
5mm	2000	6000	500	s235-s355
5mm	2000	4000	2500	s235-s355
5mm	1500	3000	1254	s235-s355
5mm	1500	3000	1380	s235-s355
5mm	2000	3000	1374	s235-s355
5mm	950	2610	1004	S355JO traw
5mm	1000	2000	220	ryfle
5mm	1500	3000	590	ryfle
5mm	1500	3000	2526	ryfle
5mm	1250	2500	814	ryfle
5mm	1250	3000	450	s235jr gw
5mm	1250	2500	881	s235jrg2 gw
5mm	1250	2500	881	s235jrg2 gw
5mm	1250	2500	420	s355mc
6mm	2000	4000	3866	S235JRC
6mm	1500	3000	4890	s235-s355
6mm	2000	3000	3362	s235-s355
6mm	2000	3000	1536	s235-s355
6mm	1500	3000	2272	s235-s355
6mm	1750x3000	1500x3000	2774	2000x3000
6mm	1000	1600	1149	S235JR
6mm	1250	2500	190	S235JR

6mm	1500	3000	730	Ouard 450
6mm	2000	4000	225	S235JR
6mm	1000	2000	115	s235-s355
6mm	1500	4000	9460	s355
6mm	1500	4000	12500	s355
6mm	1555	3100	5000	s355
7mm	1250	2500	538	s235-s355
7mm	1970	2800	310	S355J2CN
7mm	2000	4000	2664	S235JRC
7mm	1000	2000	5068	S235JRC
7mm	2000	4000	5360	S235JRC
7mm	2015	7850	4429	S235JRC
7mm	2000	4000	966	S235JRC
7mm	1500	3000	1808	s235-s355
7mm	1000	2000	2529	s235-s355
7mm	1300	2600	985	S235JR
7,5mm	1275	3000	684	S235JR traw
8mm	1265	2500	202	s235-s355
8mm	1500	3000	14822	S355J2CN
8mm	2000	3000	2744	s235-s355
8mm	1000	2000	1030	s235-s355
8mm	1250	850	1083	s235jr gw
8mm	1500	3000	20	s355mc traw
8mm	2000	2005	1055	s235jr gw
8mm	2000	3000	1125	s235jr gw

8mm	1000	2000	275	s235jr gw
8mm	1250	2500	230	s235jr traw
8mm	1250	2500	2050	s355mc traw
8mm	2000	3200	420	s235jr
8mm	2000	4000	106	s235jr
mix10-15			4000	DD11
10mm	1160	3000	758	s235-s355
10mm	1000	2000	178	s235-s355
10mm	1000	2000	175	S235JR
10mm	1500	3000	372	s355mc traw
10mm	kawałek		5234	s355mc traw
10mm	1500	3000	1850	s235-s355
10mm	1500	3500	1300	s235jr
10mm	1500	3000	770	s235jr
10mm	1500	3000	420	s235jr
12mm	kawałek		2682	s355mc
12mm	2000	3000	1694	s235-s355
12mm	1500	3000	2500	s235-s355
12mm	1500	3000	6000	s700
12mm	2000	6000	4348	s700
12mm	2000	4000	800	s235-s355
15mm	1500	3000	1620	s235-s355
15mm	1500x2950	1500x2600	2020	s235-s355
15mm	2000	3000	2836	s235-s355
15mm	1500	3000	1380	s235-s355

15mm	1500	2865	555	s235-s355
15mm	1500	2560	520	s355mc
15mm	1500	4000	720	s235jr
15mm	2000	4000	1010	s235jr
17mm	1500	3000	1172	s235jr
18mm	2500	3000	1294	s235-s355
20mm	2000	3000	2744	s235-s355
20mm	2000	3000	5854	s235-s355
20mm	1250	3000	590	s235-s355
20mm	1500	2150	560	s235-s355
20mm	1500	2410	625	s235jr
20mm	1500	3000	2365	s235jr
20mm	2000	3900	1340	s355mc
20mm	1500	3000	540	s355mc
	1250	2500	622	s355mc